



**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) Primer composition comprising a silane-terminated compound of formula (VI) or (VII) comprising isocyanate-reactive groups



wherein R" represents a divalent residue;

R<sup>1</sup> represents methyl or ethyl;

R<sup>2</sup> represents a C<sub>1</sub>-to C<sub>4</sub>-alkyl or OR<sup>1</sup>;

R<sup>3</sup> represents H, a C<sub>1</sub>-to C<sub>4</sub>-alkyl or OR<sup>1</sup>;


R<sup>4</sup> represents R<sup>1</sup>, methyl or ethyl;

R<sup>5</sup> represents R<sup>2</sup>, H, C<sub>1</sub>-to C<sub>4</sub>-alkyl or OR<sup>4</sup>; and

R<sup>6</sup> represents R<sup>3</sup>, H, C<sub>1</sub>-to C<sub>4</sub>-alkyl or OR<sup>4</sup>; derived from

a polyisocyanate which has at least three isocyanate groups;

at least one silane of the formula (I)



~~wherein R<sup>1</sup> represents methyl or ethyl;~~

~~R<sup>2</sup> represents a C<sub>1</sub>-to C<sub>4</sub>-alkyl or OR<sup>4</sup>;~~

~~R<sup>3</sup> represents H, a C<sub>1</sub>-to C<sub>4</sub>-alkyl or OR<sup>4</sup>; and~~


~~X(1) a primary amino group or at least an organic residue carrying primary amino groups and;~~

~~a cross-linking agent having at least three isocyanate reactive functional groups.~~

2. (Currently Amended) Primer composition according to claim 1, wherein the silane-terminated compound of formula (VI) or (VII) is derived from


- a polyisocyanate which has at least three isocyanate groups;

- at least one silane of the formula (I)



~~characterized in that~~

~~- at least another silane of the formula (I') is used for producing the silane terminated compound comprising isocyanate-reactive groups~~



— a cross-linking agent having at least three isocyanate-reactive functional groups

~~whereby R<sup>4</sup> represents methyl or ethyl,~~

~~— R<sup>5</sup> a H, a C<sub>1</sub>-to-C<sub>4</sub>-alkyl or OR<sup>4</sup>;~~

~~— R<sup>6</sup> a H, a C<sub>1</sub>-to-C<sub>4</sub>-alkyl or OR<sup>4</sup>;~~

~~X(2) a primary amino or mercapto or hydroxylic group or an organic residue which carries at least a primary amino or mercapto or hydroxylic group.~~

3. (Previously Presented) Primer composition according to ~~claim 2~~ claim 1, wherein R<sup>6</sup> = OR<sup>4</sup> ~~in formula (I)~~.

4. (Previously Presented) Primer composition according to ~~claim 2~~ claim 1, wherein R<sup>4</sup> = methyl ~~in formula (I)~~.

5. (Canceled)

6. (Previously Presented) Primer composition according to claim 1, wherein the primer composition is essentially free from isocyanate groups.

7. (Previously Presented) Primer composition according to claim 1, wherein the polyisocyanate is a biuret or an isocyanurate of one or more diisocyanates or an adduct of polyisocyanate and polyol.

8. (Previously Presented) Primer composition according to claim 1, wherein the polyisocyanate is an isocyanurate of an aliphatic diisocyanate.

9. (Currently Amended) Primer composition according to claim 1, wherein R<sup>3</sup> = OR<sup>1</sup> ~~in formula (I)~~.

10. (Currently Amended) Primer composition according to claim 1, wherein

$R^1$  = methyl in formula (I).


11. (Previously Presented) Primer composition according to claim 1, wherein the at least three isocyanate-reactive functional groups of the cross-linking agent are identical.


12. (Previously Presented) Primer composition according to claim 1, wherein the cross-linking agent is a polyol.

13. (Currently Amended) Primer composition according to ~~claim 12~~ claim 2, wherein the cross-linking agent has a OH-equivalent weight of 30 – 350 g/eq.

14. (Currently Amended) Primer composition according to ~~claim 1~~ claim 2, wherein the cross-linking agent has a molecular weight of 90 – 1000g/mol.

15. (Currently Amended) Primer composition comprising a compound of formula (VI) or (VII) comprising isocyanate-reactive groups





wherein  $R''$  represents a divalent residue:

$R^1$  represents methyl or ethyl,

$R^2$  represents a  $C_1$ -to  $C_4$ -alkyl or  $OR^1$ ,

$R^3$  represents H, a  $C_1$ -to  $C_4$ -alkyl or  $OR^1$ ,


$R^4$  represents  $R^1$ , methyl or ethyl;

$R^5$  represents  $R^2$ , H,  $C_1$ -to  $C_4$ -alkyl or  $OR^4$ ; and

$R^6$  represents  $R^3$ , H,  $C_1$ -to  $C_4$ -alkyl or  $OR^4$ , the compound derived from a reaction of

- a product carrying isocyanate groups and formed from a reaction of polyisocyanate

which has at least three isocyanate groups and at least a silane of the formula (I)




wherein  $R^1$  represents methyl or ethyl,

$R^2$  represents a  $C_1$ -to  $C_4$ -alkyl or  $OR^1$ ,

$R^3$  represents H, a  $C_1$ -to  $C_4$ -alkyl or  $OR^1$ , and

~~X(1) represents a primary amino group or at least an organic residue carrying primary amino groups, and a silane of formula (I')~~



the reaction to form the product being conducted in a stoichiometric excess of isocyanate groups of the polyisocyanate with respect to the isocyanate-reactive groups of the silane of formula (I) and the silane of formula (I'); and

- a cross-linking agent having at least three isocyanate-reactive functional groups.

16. (Canceled)

17. (Previously Presented) Primer composition according to claim 1, wherein the primer composition further includes a coupling agent.

18. (Previously Presented) Primer composition according to claim 17, wherein the coupling agent is a trialkoxy silane carrying primary amino groups.

19. (Previously Presented) Primer composition according to claim 1, further comprising a catalyst.

20. (Previously Presented) Primer composition according to claim 1, further comprising a solvent which does not react with isocyanates at room temperature.

21. (Previously Presented) Primer composition according to claim 1, further comprising a filler.

22. (Canceled)

23. (Canceled)

24. (Previously Presented) Method of using the primer composition according to claim 1 as a primer for adhesives, sealants or floorings.

25. (Previously Presented) Method comprising applying a primer composition according to claim 1 by means of brush, felt, cloth or sponge on a substrate manually or automatically or by means of robots.

26. (Previously Presented) Method according to claim 25, wherein the substrate is glass or glass ceramics.

27. (Previously Presented) The primer composition according to claim 1, wherein the cross-linking agent includes free isocyanate-reactive functional groups.

28. (Previously Presented) The primer composition according to claim 1, wherein the primer composition comprises the silane-terminated compound in a solution free of water.